
OSGeo Journal

The Journal of the Open Source Geospatial Foundation

Volume 1 / May 2007

In This Volume

Real World Implementations of Open Source software

Introducing Mapbender, deegree, openModeller ...

Understanding Spatial Relationships

Examining the Web Processing Server (WPS) Specification

Package Interaction - GRASS-GMT, Tikiwiki, PyWPS, GRASS-R ...

Software Updates

News, and more...



Project Spotlights

QLandkarte

by Oliver Eichler

There are many great open source tools like GPSBabel¹ and GPSTools² to manage and manipulate your private geo data, but none of them makes use of Garmin's proprietary vectorized maps. QLandkarte fills in the gap and lets you visualize these maps together with the geo data from your Garmin GPS receiver. It uses Troll Tech's Qt 4.2 library as the GUI toolkit and the Proj4 library for all 2D projections.




Figure 1: QLandkarte after start-up

¹<http://www.gpsbabel.org>

²<http://www.ncc.up.pt/gpsman/>

Features

- Supported devices:
 - GPSMap 60CS, 60Cx, 60CSx
 - eTrex Legend C
- Import map collections (needs *.tdb file, basemap and map tiles)
- Load single map tiles (*.img Format)
- Display map and object information close to cursor
- Search for places via Google Maps
- Search for geocaches via www.opencaching.de
- Maps:
 - Upload maps to device
 - Download map selection from device
 - Load / save map selection from / to GPX files
- Waypoints:
 - Upload / download waypoints
 - Create / move / edit waypoints
 - Load / save waypoints from / to GPX files
- Tracks:
 - Download tracks

- View track information and elevation profile
- Combine / split tracks
- Purge / remove track points
- Load / save tracks from / to GPX files
- Print maps to PDF or paper

Overview

Figure ?? shows QLandkarte right after program start. Function and cursor modes can be switched by keyboard or mouse selection in the top left menu. User data will be listed in the tabs below.

There are three main function modes: maps, waypoints and tracks. The key assignment in each of these modes is displayed in Figure ?. Keys F1 to F4 have static functions assigned that let you navigate your map. A dynamic zoom is done by scrolling the mouse wheel.

Each main mode has its own dialog in the tab widget, listing the available user data. Selected data can be removed with the DEL key as a general rule.




Figure 2: Function Modes

Map Mode

In 'Map Mode' the current map collection can be selected from the combo box at the tab widget's top. To upload map tiles to the device they have to be selected by point-and-click in the map view area. Selected tiles from all collections are listed in the tree widget.

Waypoint Mode

Figure ?? presents the waypoint properties dialog. Next to the usual fields like symbol, name and po-

sition, a distance for proximity alarms and a link to a web page can be given. The link is active and will open a browser.




Figure 3: Waypoint Properties

A double click in the waypoint list will center the map around the selected waypoint. The 'Move Waypoint' mode is quite complex and should get special attention. A left button click on a waypoint will glue it to the cursor. Additionally a rubber band will span between the initial position and the current one, displaying the distance together with the forward and backward azimuths. See Figure ?. In this state it is possible to switch the mode to the map navigation functions, allowing the user to move the map to the desired destination area. Once back in the 'Move Waypoint' mode the waypoint can be dropped by a second left button click or the operation is escaped by a right button click.



Figure 4: Moving a Waypoint

Track Mode

In Figure ?? QLandkarte operates in 'Track Mode'. The track info view has been raised. A double click

in the track list will zoom the map view to fit the selected track. The track is displayed as bread crumbs on the map, as elevation profile and as table. All three views are linked together, thus if a track point is selected in one of them, it will get highlighted in the other ones, too. The visibility of track points can be toggled with the DEL key in the table view. This will gray shade the points in the table and prevent them from adding to the track.

Multiple selected tracks can be combined into a new one. The current selected track can be split at any point. QLandkarte will not destroy the original data. It will create two new tracks as copy of the original one.




Figure 5: Track Info View

Development

The project has reached a stage satisfying the original itches of the author. This does not necessarily imply that it is a mature and full featured application.

QLandkarte still misses support for many Garmin devices. It provides a plug-in system for devices to allow a decentralized development by several unit owners. Writing a driver is easier than it sounds. There is a small tutorial on QLandkarte's homepage.

Another vacant task would be porting QLandkarte to other platforms like Windows or Mac. It shouldn't be too much of a problem for any little endian platform. However there has to be much work done for big endian platforms as the IMG data is stored in little endian format and the decoder addresses the data directly for performance sake. Thus a big endian port should compensate the performance penalty for byte shifting by optimizing the decoder code.

Interested developers are welcome to discuss all this and send their patches on the QLandkarte's user mailing list.³

Dipl.-Ing. (FH) Oliver Eichler

The author studied Electronic Engineering in Regensburg and since 1997 has worked as a freelancer mainly focused on digital subscriber lines.

<http://qlandkarte.sourceforge.net>
 oliver.eichler AT gmx.de

³http://sourceforge.net/mail/?group_id=183501

Editor in Chief:Tyler Mitchell - [tmitchell AT osgeo.org](mailto:tmitchell@osgeo.org)**Editor, News:**

Jason Fournier

Editor, Case Studies:

Micha Silver

Editor, Project Spotlights:

Martin Wegmann

Editor, Integration Studies:

Martin Wegmann

Editor, Programming Tutorials:

Landon Blake

Acknowledgements

Various reviewers & the GRASS News Project

The *OSGeo Journal* is a publication of the *OSGeo Foundation*. The base of this newsletter, the $\text{\LaTeX}2^{\text{e}}$ style source has been kindly provided by the GRASS and R News editorial board. All articles are copyrighted by the respective authors. Please use the OSGeo Journal url for submitting articles, more details concerning submission instructions can be found on the OSGeo homepage.

Newsletter online: <http://www.osgeo.org/journal>OSGeo Homepage: <http://www.osgeo.org>Mail contact through OSGeo, PO Box 4844, Williams Lake,
British Columbia, Canada, V2G 2V8**ISSN 1994-1897**